DRILLING FLUIDS EQUIPMENT

For over 30 years OFI Testing Equipment (OFITE) has provided instruments and reagents for testing drilling fluids, well cements, completion fluids, and wastewater. In addition to these product lines we also offer a range of instruments for core analysis. From our manufacturing facility in Houston, TX we provide customers all over the world with quality products and exceptional service.

Our drilling fluids product line includes innovative designs such as the Model 900 Viscometer, which showcases our ability to develop new technology to meet customer and industry demands. We also offer Retorts, Aging Cells, Roller Ovens, Mud Balances, Filter Presses, and all other instruments required to evaluate drilling fluid properties according to API Recommended Practice 13B-1 and 13B-2.

As an independent manufacturer and supplier, OFITE has one priority, our customers.



Universal Heat Cup

The Universal Heat Cup is designed for controlling the temperature of a fluid sample while taking readings with a rheometer or viscometer. Normal heat-up time is 15 minutes and the pilot light turns on during heating.



Features

- Designed to work with the Model 900 Viscometer
- Can be plugged directly into the Model 900 Viscometer, eliminating the need for a second power outlet
- Allows the ORCADA[®] software to control the temperature of the fluid sample during a test
- Can be used with other viscometers like the Model 800
 Viscometer and the Hand-Crank Rheometer. (An additional power cable is sold separately)
- Stainless steel cup is easier to clean up and promotes safety
- Improved heater design results in faster heating times



Technical Specifications and Requirements

- #130-76-10 115 Volt #130-76-10-1
 - 230 Volt

Specifications

- Maximum Temperature: 200°F (93°C)
- Size: 4.5" × 4.5" × 4" (11 × 11 × 10 cm)
- Weight: 3 lb (1.36 kg)

Optional

An additional power cord is necessary when using the Universal Heat Cup without a Model 900 Viscometer:

- AC Power Cord, 115-Volt #152-37
- AC Power Cord, 230-Volt #152-38